Now featuring Whale Sense **Flood Reduction for Mixers** 



# digital technology digital technology digital technology



Pump Shower Drainage Solutions **Enabling Independent Living** 





Proud to manufacture in the UK



## Where gravity drainage is not an option... Whale is here to help

| Α | Instant Match <sup>®</sup> - Digital control              | 8 Bluetooth° |
|---|---|--------------|
| В | Instant Match Premium - Digital control for mixer showers | 😵 Bluetooth° |
| С | Whale Sense - Flood Reduction for mixer showers           | 😵 Bluetooth° |
| D | Switch Connect - Flow Switch Control                      |              |
| E | Switch Connect Mixer - Dual flow switch control           |              |
| F | Spares & Accessories                                      |              |
| G | Compatible Showers  |              |

## Nationwide service network

Whale's nationwide team of certified service engineers ensures that wherever the installation, help is only a call away.

# **Technical Helpline**

Whale's dedicated technical helpline is there to assist with specification requirements, installation advice or any questions you may have with regards to Whale<sup>®</sup> Healthcare products.

## 0345 9090 912

### **Digital Control and Wireless Connectivity**

The Instant Match<sup>®</sup> and Instant Match<sup>®</sup> Premium using Bluetooth wireless technology

- Bluetooth two way communication for electric and mixer showers, when used with compatible Bluetooth 5 electric showers or with Whale Sense for mixers
- Whale Sense may be used as a water safety device for bathrooms where an automatic shut off is required

### Why choose Whale?

- Integral flood reduction system\*
- Robust performance Hair, gels, grit and other shower waste pass through the pump without blocking (no filter or maintenance required)
- **Practical design** Valves integral to the pump prevent odours escaping into the bathroom from the waste pipe
- Quiet performance
- On-site nationwide support
- 10 Years service parts availability

\*Instant Match, Instant Match Premium and Whale Sense















drainagesupport@whalepumps.com whalepumps.com

### A Instant Match<sup>®</sup> - Digital control





### 🚯 Bluetooth°



Maximum 7 metres range for wireless signal. Combined with Bluetooth 5 compatible showers, the Instant Match transformer may be mounted outside the bathroom. See section G for compatible showers



To minimise gulley suction noise, the Instant Match<sup>®</sup> uses a digital signal\* sent from compatible showers\* to automatically adjust the pump speed in relation to the flow rate of the shower. No set-up necessary - gives plug and play operation.

\*can also be hard wired. See section G for compatible showers.

#### **Features and Benefits**

- Digital control with Bluetooth wireless technology
- Built in flood reduction system
- Quick and secure pairing
- Variable matched speed
- Quiet gulley Whale® Whisper wet floor gulley included

#### **Integral Flood Reduction System**

In the situation where you have a power failure to the Whale pump, the shower\* will recognise this instantly and begin its shutdown sequence. This feature further reduces the risk of flooding.

#### **Instant Match Approvals**

- The Instant Match Kit is CE marked and complies with European standards for:
  - EMC (Electromagnetic Compatibility)
  - LVD (Low Voltage Directive)
- Pumps and Transformers are rated against moisture and particle ingress
- The Instant Match<sup>®</sup> Wireless radio signal is licensed for public use and meets radio standards R&TTE: ETSI EN300 328 V2.2.2

#### **Specification Information**

| Description                                  | Product Code |
|--|--------------|
| Whale Instant Match Bluetooth/Hard Wired Kit | SDP134T      |

To use the Instant Match  $^{\otimes}$  with any electric shower installation fit the Sika Flow Sensor - Part No. SDS263T









Whale Instant Match<sup>®</sup> Kit SDP134T



Sika Flow Sensor SDS263T

### Instant Match Premium - Digital control for mixer showers



Β

🚯 Bluetooth°



The Instant Match Premium is built on 25 years of experience to make our quietest kit yet. Designed specifically for mixer showers to allow you to create step free showering in the most challenging locations. Ideal for use with combi boilers.

#### **Features and Benefits**

- Quiet operation with built in anti-vibration mounts (Acoustically tested)
- Built in flood reduction system (when used with Whale Sense SDA074T see Section C)
- Self cleaning flow sensors
- Lightweight all in one unit
- Plug and Play operation

#### Note:

The Instant Match Premium may be used with normal gravity gulleys by reducing the pipe size to 22mm

#### **Instant Match Approvals**

- The Instant Match Kit is CE marked and complies with European standards for:
  - EMC (Electromagnetic Compatibility)
  - LVD (Low Voltage Directive)
- Pumps and Transformers are rated against moisture and particle ingress
- The Instant Match<sup>®</sup> Wireless radio signal is licensed for public use and meets radio standards R&TTE: ETSI EN300 328 V2.2.2

#### **Specification Information**

| Description           | Product Code |
|-----------------------|--------------|
| Instant Match Premium | SDP303T      |
| Whale Sense Unit      | SDA074T      |





#### **Flood Reduction For Mixers**

Whale Sense is compatible with the Instant Match Premium, bringing safety benefits of thermostatic electric showers and Bluetooth wireless connectivity to any mixer shower. See section C for more information

### Whale Sense - Property Protection for mixer showers



С

## 😵 Bluetooth





You Tube WhaleHealthcare

Whale Sense is a solenoid\* controller designed for the bathroom which reduces the risk of flooding.

Brings safety benefits of Healthcare electric showers to mixers\*\*

#### **Example Applications**

- · Bathrooms where automatic water shut off is desired
- Users with dementia or ADHD (Attention Deficit Hyperactivity Disorder)
- Instances where water is left running

#### **Features and Benefits**

- Automatically shuts off the water supply after a preset period, reducing the risk of a flood
- · Controls the water supply to the shower using solenoids
- Added protection against flooding/increased water conservation
- Hands free operation when used with a Passive Infrared Sensor (PIR) to activate the solenoids (may also be operated with a retractive switch)

\*Electrically controlled valves used to turn water supply on and off. \*\*In the event a solenoid failing, water supply automatically shuts off. Ensure a TMV2/TMV3 mixer is used to meet safety standards

| Description      | Product Code |
|------------------|--------------|
| Whale Sense Unit | SDA074T      |

**Optional Accessories (Not included with SDA074T)** Surface mounted Passive Infrared Sensor (PIR) - (IP65) and 15mm Push Fit Solenoids (WRAS) shown in illustration opposite

Optional accessories required for compliance with UK water and bathroom regulations







#### Alternative Options





Brand: E-Matic Product Number: PMSCSS Stockist: CEF

15mm Push Fit Solenoids (WRAS)

Brand: RPE srl Product Number: 1175BC Stockist: Solenoid Valve World

#### **Retractive Wall Switch**

Brand: P, Crabtree 10A 1 Gang 2 Way Part Number: Part 4096/P Stockist: CEF

#### 3/4" BSP Solenoids (WRAS)

Brand RPE srl Part Number: 6115BC Stockist: Solenoid Valve World

#### **Ceiling Switch (Pull Cord)**

Brand: MK 6A Momentary Pull Cord Switch Part Number: 3190RCWHI Stockist: Electrical World

#### **Through Ceiling PIR (IP65)**

Brand: Danlers Part Number: DN CEFLPIR Stockist: TLC Electrical Supplies Direct

### SWITCH CONNECT



The original automatic shower drain kit with proven reliability is combined with 6 pump speed settings, Active Link diagnostics and Whale<sup>®</sup> Whisper Gulley options.

#### **Features and Benefits**

- 6 pump speed settings designed to suit electric showers
- Adjustable pump speed minimises gulley suction noise
- Quiet gulley Whale<sup>®</sup> Whisper wet floor gulley included in kit BP1578
- High performance draws 3 metres from gulley

#### The transformer includes patented Active Link diagnostics

- · Light indicates power present when test button is pressed
- Light indicates flow switch operation
- Aids installation and maintenance

#### Connect directly to compatible electric showers (See Section G)

- · No need to fit flow switch with compatible showers
- The flow switch signal wire from the transformer connects to a terminal inside the shower
- For connections see Whale web site for You Tube videos and instructions

#### **Specification Information**

| Description                         | Product Code |
|-------------------------------------|--------------|
| Switch Connect Wet Floor Gulley Kit | BP1578       |
| Switch Connect Tray Gulley Kit      | BP1558B      |







Wet Floor and Tray Gulley kit BP1578



Tray Gulley kit BP1558B

### Switch Connect Mixer - Dual flow switch control

### SWITCH CONNECT MIXER

Ε

Mixer valve conversion kit required - Part Number AK1570



The original automatic shower drain kit with proven reliability is combined with 12 pump speed settings, Active Link diagnostics and Whale<sup>®</sup> Whisper Gulley options.

#### **Features and Benefits**

- 12 pump speed settings designed to suit mixer showers\*
- Adjustable pump speed minimises gulley suction noise
- Quiet gulley Whale<sup>®</sup> Whisper wet floor gulley included in kit BP1578
- High performance draws 3 metres from gulley

\*Suitable for showers up to a flow rate of 12ltr/min Note. For mixer shower installations an additional flow switch is required - Part No. AK1570 (includes 10ltr/min flow regulator)

#### The transformer includes patented Active Link diagnostics

- Light indicates power present when test button is pressed
- · Light indicates water flow to shower
- Aids installation and maintenance

| Specification Information                    |              |
|--|--------------|
| Description                                  | Product Code |
| Switch Connect Wet Floor and Tray Gulley Kit | BP1578       |
| Switch Connect Tray Gulley Kit               | BP1558B      |
| Mixer Valve Conversion Kit                   | AK1570       |









Tray Gulley kit **BP1558B** 



Mixer Valve Conversion Kit AK1570

### **General Spares**



Shower Drain Pump (SDS021T)



Tricuspid Valves X 10 (SDS211B)

### **Accessories**



90mm Tray Gulley (AK1695)



Spare Pump Head Kit (SDS071T)





Diaphragm/Valve Kit (SDS061T)



Marmox Tray Gulley (SDA001T)



Switch Connect Transformer (SDS081T)





Instant Match Transformer with Bluetooth Technology (SDS236T)



Instant Match transformer with wireless technology (SDS131T - 755.649)

### **Digital Smoothflow & Dry Deck Spares**



Digital Smoothflow Control Box (SDS243T)



Dry-Deck Control Box (SDS273T)



Mixer Valve Conversion Kit (AK1570) Flow Switch (AK1568)

### Whale Sense



Whale Sense unit (SDA074T)



Sika Flow Sensor **(SDS263T)** (May also be used with the Instant Match and any electric shower)

Mira (Bluetooth & Hardwired) 🚯 Bluetooth

Advance Flex Extra 8.7kW





#### Triton (Bluetooth & Hardwired) 8 Bluetooth

| Omnicare Ultra+ 8.7kW DIGI      | CINCULTPD08W    |
|---------------------------------|-----------------|
| Omnicare Ultra+ 8.7kW Grab DIGI | CINCULTPD08WGRB |
| Omnicare Ultra+ 9.8kW DIGI      | CINCULTPD09W    |
| Omnicare Ultra+ 9.8kW Grab DIGI | CINCULTPD09WGRB |
| Omnicare Design 8.5kW DIGI      | TEOMNDD81       |
| Omnicare Design 8.5kW Grab DIGI | TEOMNDDG81      |
| Omnicare Design 9.5kW DIGI      | TEOMNDD91       |
| Omnicare Design 9.5kW Grab DIGI | TEOMNDDG91      |

#### Triton (Hardwired only)

| Omnicare Ultra 8.7kW       | CINCULT08W     |
|----------------------------|----------------|
| Omnicare Ultra 9.8kW       | CINCULT09W     |
| Omnicare Ultra+ 8.7kW      | CINCULTP08W    |
| Omnicare Ultra+ 8.7kW Grab | CINCULTP08WGRB |
| Omnicare Ultra+ 9.8kW      | CINCULTP09W    |
| Omnicare Ultra+ 9.8kW Grab | CINCULTP09WGRB |
| Omnicare 8.5kW 2M          | TEOMN281       |
| Omnicare 8.5kW             | TEOMN81        |
| Omnicare 9.5kW 2M          | TEOMN291       |
| Omnicare 9.5kW             | TEOMN91        |
| Omnicare Design 8.5kW      | TEOMND81       |
| Omnicare Design 8.5kW Grab | TEOMNDG81      |
| Omnicare Design 9.5kW      | TEOMND91       |
| Omnicare Design 9.5kW Grab | TEOMNDG91      |



#### Redring (Hardwired only)

| Selectronic Premier Thermostatic Plus 8.5kW | RSELP85WPC |
|---|------------|
| Selectronic Premier Thermostatic Plus 9.5kW | RSELP95WPC |

#### 🚯 Bluetooth

Whale Kits and Whale Sense are compatible with any mixer shower. However, Whale recommends the use of Mira Assist (TMV2) or Select Flex (TMV3).

For Bluetooth Connectivity, please see Section C

#### Whale kit Approvals

- Whale<sup>®</sup> Shower Drain Kits are CE marked and complies with European standards for: - EMC (Electromagnetic Compatibility)
  - LVD (Low Voltage Directive)
- Transformers (IP65) and Pumps (IP45) rated against particle and moisture ingress







## Nationwide service network

Whale's nationwide team of certified service engineers ensures that wherever the installation, help is only a call away.

## **Technical Helpline**

Whale's dedicated technical helpline is there to assist with specification requirements, installation advice or any questions you may have with regards to Whale<sup>®</sup> Healthcare products.



Whale 2 Enterprise Road, Bangor Co. Down, BT19 7TA, N.Ireland



0345 9090 912

drainagesupport@whalepumps.com



whalepumps.com

Whale's policy is one of continuous improvement and we reserve the right to change specifications without prior notice.

Whale Copyright<sup>©</sup> 2023 All Rights Reserved. Whale<sup>®</sup> and Whale Instant Match<sup>®</sup> are registered trademarks of Munster Simms Engineering Limited. Mira<sup>®</sup>, is a registered trademark of Kohler Mira Lmited. Illustrations are for guidance purposes only.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Munster Simms Engineering Ltd (trading as Whale) is under licence. Other trademarks and trade names are those of their respective owners.

Illustrations are for guidance purposes only.

